According to Commission Regulation (EU) No 453/2010 Annex I



**BS ULTRA** 

Date of filing: 2010-03-25

Last revision date:

2012-03-19

# 1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING

Product identifier BS Ultra

Relevant identified uses of the substance or

mixture

Cleaning/ maintenance detergent for professional use - a foam suppresing aditive to alkaline detergents used in CIP and bottle wash machines.

W GOTT THE

UAB "BS Chemical", Baltijos pr. 123-9, LT-93224 Klaipeda, Lithuania, tel./fax.: +370 46 366279, www.bs-chemical.com

E-mail address for a person responsible for the

safety data sheet

Supplier/ Manufacturer

dovile@bs-chemical.lt

Emergency telephone number Poisons control and information office in Poland:

+ 48 58 349 28 31, + 48 12 646 87 06, + 48 61 848 10 11,

+ 48 22 619 66 54 ext. 1240

### 2. HAZARDS IDENTIFICATION

Classification of the substance/

mixture according to

Signal word: Warning

Hazard class: Skin irritation of category 2; Hazardous to the aquatic

environment, 3 chronic exposure category.

Regulation (EU) No 1272/ 2008 [CLP/ GHS]

Hazard statements:

H315 Irritating to skin.

H319 Causes severe eye irritation

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid getting into the environment.

P280 Wear protective gloves / protective clothing /use eye (face) protection.

P302 + P353 IF ON SKIN: Rinse skin with water / shower.

P332 + P313 If skin irritation occurs, seek medical advice.

P305 + P351 + P338 IF IN EYES: Rinse cautiously several minutes with water. Remove contact

lenses, if it is easy to do. Continue washing eyes.

Additional information: 5 % of the mixture components' toxity is unknown.

Classification of

Risk phrases:

the substance/ mixture according to

**Directive No** 

R36/38 Irritating to eyes and skin.

R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

**67/548/EEB** Safety phrases:

2016-Date right

GHS07

Xi Irritant

According to Commission Regulation (EU) No 453/2010 Annex I



#### BS ULTRA

Date of filing: 2010-03-25

Last revision date:

2012-03-19

S26 After contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of water.

36/37/39 Wear suitable protective clothing, gloves, use eye (face) protection.

S45 During an accident or if you feel unwell, immediately seek medical advice (if possible show this label)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Description of substance/ mixture

Mixture of substances listed below with no hazardous additions.

#### Hazardous components:

Verse. No	CAS No	EC No	Index No	Mass fraction, %	Name	Classification according to Regulation (EU) No 1272/ 2008 [CLP/ GHS]
1.	64-02-8	200- 573-9	607-428- 00-2	15 – 30	tetrasodium ethylene diamine tetraacetate	Acute Tox. 4*; Eye Dam. 1; H302, H318

Verse. No	CAS No	EC No	Index No	Mass fraction, %	Name	Classification according to <b>Directive</b> No 67/548/EEB
1.	64-02-8	200- 573-9	607-428- 00-2	15 – 30	tetrasodium ethylene diamine tetraacetate	Xn, Xi; R22-41

Note: explanations of hazard symbols, risk phrases and other signs are listed in Sections 2 and 16.

Components according to EU Detergents Regulation Nr. 551/2009:				
EDTA and its salts	15 – 30			
Nonionic surfactants	< 5			
Phosphonates, phosphates	< 5			

## 4. FIRST AID MEASURES

Description of the first aid measures

In all cases if the damage to health occurred, seek immediate medical attention. If a person is unconscious do not give any water/ do not put anything into the mouth. In If substance/mixture poisoning case was discovered immediately contact the nearest Poisons control and information centre.

After inhalation

If inhalation of solution's aerosols or vapors has occurred, immediately stop the contact - take out a suffering person to the fresh air, provide a peace. If respiratory impairment has occurred seek medical advice. If a person lost consciousness, lay him down steadily on a side and carry to the medical institution.

After skin contact

Immediately remove all contaminated clothing, at least 10 - 15 minutes wash with plenty of water. During the burn case do not use the soap. If symptoms of damage develop, seek medical advice.

After eye contact

Rinse opened eye as soon as possible, at least 15 minutes wash eyes with running water lifting and lowering eyelids. Seek

According to Commission Regulation (EU) No 453/2010 Annex I

	DC 111 TD A	Date of filing:	2010-03-25
CHEMICAL	BS ULTRA	Last revision date:	2012-03-19

immediate medical attention.

After swallowing Do not induce vomiting. If a person is conscious, remove

substance residues from mouth, rinse it with water, drink plenty of

water and seek immediate medical attention.

## 5. FIREFIGHTING MEASURES

Extinguishing media Firefighting equipment must be selected assessing the properties

of around burning materials.

Special hazards arising from the substance/

mixture

It is necessary to know the properties of other chemicals or

mixtures used or stored together.

Advice for firefighters

During the fire, wear respiratory protective equipment and

chemical resistant/ protective clothing. Personal protective equipment must be chosen assessing the properties of burning

around materials.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Sufficient ventilation / respiratory protection/ contact with skin,

eyes prevention. `

Environmental precautions

Do not pour spilled material to the local drains, surface water, or

nature environment.

Methods (material) for containment and cleaning

up

Absorb with liquid-binding material (sand, diatomite, universal binders, and sawdust). Residues neutralize and rinse with water. It is prohibited to discard the material in the trash basket or to

pour back into the original container. Dispose gathered material

according to the instructions.

Reference to other sections View sections 8 and 13.

## 7. HANDLING AND STORAGE

Precautions for safe handling Store in a tightly closed original container, in a dry ventilated

area. Do not store together with stong oxidants. Keep container tightly closed in the temperature 0°C - 35°C away from heat

sources. Keep away from direct sunlight.

Conditions for safe storage For the professional use only. Use only in a well ventilated area,

where exhaust ventilation is equipped strictly in accordance with the instructions. Use common rules/instructions when working with chemicals. Do not mix with other chemicals. During the process do not eat, drink or smoke. Do not allow concentration of vapors in the air to exceed allowable threshold. Use appropriate

personal protective equipment as indicated in Section 8.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control parameters Not determined.

According to Commission Regulation (EU) No 453/2010 Annex I

	DC LU TID A	Date of filing:	2010-03-25
CHEMICAL	BS ULTRA	Last revision date:	2012-03-19

Appropriate engineering controls General, local exhaust ventilation. Avoid the spills, and any

contact with this mixture, see Section 7.

Personal protective equipment:

General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately

remove all soiled and contaminated clothing. Wash hands before breaks and at the end of the work. Avoid contact with eyes and

skin.

Hands protection Protective gloves. The material of the gloves should be resistant

to the substance/ mixture, alkalis. Penetration time of the material

check out with manufacturer.

Eye protection To prevent getting into the eyes- wear safety glasses, face

covering shields.

Respiratory protection In the case of insufficient ventilation, or in an emergency – the

protection against aerosols must be used; filtering half masks against harmful liquid aerosols and valve filtering half masks

against gases and particles.

Environmental impact control See sections 6 and 12.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid, viscous

Color Clear, yellowish, light yellow

Odor Speciffic

pH, 1 %, 25°C 9,8 – 10,4

The relative density,  $g/cm^3$ ,  $20^{\circ}C$  1,05 – 1,15

## 10. STABILITY AND REACTIVITY

Chemical stability Used according to specifications, under normal conditions -

stable. Stable in contact with acids, alkalis. Sufficiently resistant

in contact with low oxidants.

Conditions to avoid/incompatible materials Avoid contact with oxidizing materials.

Hazardous decomposition products Reaction products depend on the substances/mixtures involved in

the chemical reactions.

## 11. TOXICOLOGICAL INFORMATION

Toxicological effects On the basis of chemical information, it can be said that the

mixture is not characterized by acute toxicity, when swallowed by animals (rats) during the experiment. Does not exceed the acute

toxicity estimates.

According to Commission Regulation (EU) No 453/2010 Annex I

	DC 111 /DD A	Date of filing:	2010-03-25
CHEMICAL	BS ULTRA	Last revision date:	2012-03-19

Primary irritant effect

Skin: burns of various degrees, skin redness, and blisters. The damage depends on the exposure time and concentration of the solution.

Eyes: pain, tearing, vision changes, can cause irreversible damage to the eyes.

Inhalation: Inhalation of aerosols can cause chest pain, and difficulty to breath, dizziness, and headache.

Ingestion: Mouth, chest, stomach pain, swallowing disorders. If ingested, strong corrosive effects can be done to the mouth and larynx.

Additional toxicological information:

Toxicity of 5 % mixtures ingredients' is unknown.

## 12. ECOLOGICAL INFORMATION

Toxicity On the basis of chemical information, it can be said that the

mixture is characterizes by acute toxicity 3d category chronic

exposure to aquatic organisms (fish).

Persistence and degradability On the basis of chemical information, it can be said that the

components of the mixture are biodegradable. The biodegradation process of Mixture (surfactants) in the environment is in accordance with the Detergents Regulation requirements 551 /

2009

Bioaccumulative potential Not determined.

Mobility in soil Soluble in water. Before being released into waste water or

sewage system must be diluted with water or neutralized.

Other adverse effects

Threat to aquatic and soil organisms can be caused by changes in

local environment's pH. Risk to natural environment may occur due to changes in pH: pH 11,0 – 11,5, rapid loss of species; pH

9,2 trout and perch death.

## 13. DISPOSAL CONSIDERATIONS

Disposal of product Dispose according to local waste disposal regulations. Do not

dispose in the trash, and local storm drains or surface water.

Disposal of packaging Waste must be managed according to the Waste Management Act.

Packaging waste must be handled according to Packaging and Packaging Waste Management Act. The product must be diluted with water or neutralized before released into sewage system.

Washed and dried packaging can be reused.

## 14. TRANSPORT INFORMATION

Transport classification Land transport ADR / RID (international/internal transportation).

UN number No relation.

According to Commission Regulation (EU) No 453/2010 Annex I

RS	BS ULTRA	Date of filing:	2010-03-25
CHEMICAL	BS CLIKA	Last revision date:	2012-03-19

UN proper shipping name

Transport hazard classes -

Packing group -

Special precautions for user -

## 15. REGULATORY INFORMATION

Information on legal regulations related to the substance / mixture:

- 1. Commission Regulation (EC). 551/2009.
- 2. European Parliament and Council Regulation (EC). 1272/2008 on the classification, labeling and packaging
- 3. Parliament and Council Regulation (EC). 1907/2006
- 4. European Parliament and Council Regulation (EC) Nr. 1907/2006 dated December 18 2006, concerning the Registration Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EB and repealing Council Regulation (EEC) Nr. 793/93 and Commission Regulation (EC) Nr. 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC.
- 5. Hazardous chemical substances and packaging requirements and packaging arrangements. (Approved by the Minister in November 2002 by Order No. 19. 5989, Official Gazette., 2002, no. 115-5161, 2008, 53-1989)
- 6. HN 23:2007 "Occupational exposure limit values. Measuring the Impact Assessment and General Requirements (Approved by the Ministry of Health and Social Security and Labour of 15 October 2007 by Order No. V-827/A1-287, Official Gazette., 2007, no. 108-4434).
- 7. The list of Special first aid equipment and hazardous chemicals and biological agents causing acute health problems (Approved by the Ministry of Health in December 2003 by Order No. 24. V-769, Official Gazette., 2004, no. 7-157)
- 8. Regulations of employees with personal protective equipment. (Approved by the Ministry of Social Affairs and Labour 2007. November 26, Order No. A1-331, Official Gazette., 2007, no. 123-5055).
- 9. European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- 10. Packaging and Packaging Waste Regulations (Approved by the Minister in June 2002 by Order No. 27. 348, Official Gazette, 2002, no. 81-3503).
- 11. Waste Management Regulations (Approved by the Minister in December 2003 by Order No. 30. 722, Official Gazette, 204, no. 68-2381).

## 16. OTHER INFORMATION

Explanations of Hazard symbols and numeric characters (described in Section 3):

Acute Tox. 4 \*

Acute toxicity, category 4

According to Commission Regulation (EU) No 453/2010 Annex I

BG	BS ULTRA	Date of filing:	2010-03-25
CHEMICAL		Last revision date:	2012-03-19

Eye Dam. 1 Serious eye damage, Category 1

H302 Harmful if swallowed

H318 Serious eye damage

Xn Harmful

R22 Harmful if swallowed

This safety data sheet must be available to anyone who works with this type of chemical product. Data is in line with our current knowledge and it describes a chemical product, offers safety, occupational health, and environmental recommendations. This information will be added if new data about this chemical product will be ready. Material Safety Data Sheet does not disclose any specific chemical characteristics of the product.

This safety data sheet was reviewed assessing the requirements of REACH and GHS regulations. On December the 1, 2015 DSD mixture classification, labeling and packaging requirements will be replaced by CLP rule requirements. UAB "BS Chemical" refers to the CLP / GHS Regulations, and always keeps up to date Material Safety Data Sheets according to the chemical suppliers' Material Safety Data Sheets.