


## SAFETY DATA SHEET



According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

### 1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING


Product identifier	Ecoclean 104 Plus
Relevant identified uses of the substance or mixture	Cleaning/ maintenance detergent for professional use - alkaline foaming detergent for carbonized dirt.
Supplier/ Manufacturer	UAB „BS Chemical“, Baltijos pr. 123-9, LT-93224 Klaipeda, Lithuania, tel./fax.: +370 46 366279, www.bs-chemical.com
E-mail address for a person responsible for the safety data sheet	dovile@bs-chemical.lt
Emergency telephone number	112 (in Member State of EU). Estonia: 16662, calling from abroad (+372) 626 93 90. Hours of operation are during weekdays from Monday 9AM to Saturday 9AM (closed on Sunday and on national holidays). Latvia: +371 67042473. Service is available 24 hours. Lithuania: +370 5 236 20 52; +370 687 53378. Norway: 22 59 13 00. Poland: + 48 58 349 28 31, + 48 12 646 87 06, + 48 61 848 10 11, + 48 22 619 66 54 ext. 1240.

### 2. HAZARDS IDENTIFICATION

Classification of the substance/ mixture according to <b>Regulation (EU) No 1272/ 2008 [CLP/ GHS]</b>	Signal word: Dangerous	
	Hazard class: Skin corrosion, subcategory 1A.	
	Hazard statements:	
	H314 Causes severe skin burns and eye damage.	
	Precautionary statements:	
	P280 Wear protective gloves / protective clothing /use eye (face) protection.	
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting.	
	P303+P361+P353 IF ON SKIN (or hair): Take off / remove all contaminated clothing. Rinse skin with water / jet.	
	P305+P351+P338+P310 IF IN EYES: Rinse cautiously several minutes with water. Remove contact lenses, if they present and it is easy to do. Continue washing eyes. Immediately call POISON CENTER and the doctor.	
Classification of the substance/ mixture according to <b>Directive No 67/548/EEB</b>	Risk phrases:	
	R35 Causes severe burns.	
	Safety phrases:	
	S26 After contact with eyes, rinse immediately with plenty of water and seek medical advice.	C Corrosive

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

S28 After contact with skin, wash immediately with plenty of water.

S36/37/39 Wear suitable protective clothing, gloves, use eye (face) protection.

S45 During an accident or if you feel unwell, immediately seek medical advice (if possible show this label).

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Description of substance/ mixture

Mixture of substances listed below with no hazardous additions.

Hazardous components:

No.	CAS No.	EC No.	Index No.	Mass fraction, %	Name	Classification according to Regulation (EU) No 1272/2008 [CLP/ GHS]
1.	1310-73-2	215-185-3	011-002-00-6	15 – 30	sodium hydroxide; caustic soda	Skin. Corr. 1A; H314
2.	1310-58-3	215-181-3	019-002-00-8	5 – 15	potassium hydroxide; caustic potash	Skin. Corr. 1A; H314
3.	68515-73-1	500-220-1	-	< 5	D-Glucopyranose, oligomeric, C8-10 glycosides	Skin Irrit. 2; H315
4.	16446-2-16-2	423-270-3	-	< 5	alanine, N,N-bis(carboxymethyl)-, trisodium salt	-

No.	CAS No.	EC No.	Index No.	Mass fraction, %	Name	Classification according to Directive No 67/548/EEB
1.	1310-73-2	215-185-3	011-002-00-6	15 – 30	sodium hydroxide; caustic soda	C; R35
2.	1310-58-3	215-181-3	019-002-00-8	5 – 15	potassium hydroxide; caustic potash	C; R35
3.	68515-73-1	500-220-1	-	< 5	D-Glucopyranose, oligomeric, C8-10 glycosides	Xi; R38
4.	16446-2-16-2	423-270-3	-	< 5	alanine, N,N-bis(carboxymethyl)-, trisodium salt	-

Note: explanations of hazard symbols, risk phrases and other signs are listed in Sections 2 and 16.

**Components according to EU Detergents Regulation No. 551/2009:**

Nonionic surfactants	< 5
----------------------	-----

### 4. FIRST AID MEASURES

Description of the first aid measures


In all cases if the damage to health occurred, seek immediate medical attention. If a person is unconscious do not give any water/ do not put anything into the mouth. In If substance/mixture poisoning case was discovered immediately contact the nearest Poisons control and information centre.

After inhalation

If inhalation of aerosol or vapor solution in an accident, immediately stop the contact - take out a suffering person to the fresh air, provide a peace. If respiratory impairment has occurred seek medical advice. If a person lost consciousness, lay him

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

After skin contact	down steadily on a side and carry to the medical institution. Immediately remove all contaminated clothing, at least 10 – 15 minutes wash with plenty of water. If symptoms of damage develop, seek medical advice.
After eye contact	Rinse opened eye as soon as possible, at least 10 - 15 minutes wash eyes with running water lifting and lowering eyelids. Remove contact lenses, if present and easy to do. Seek immediate medical attention.
After swallowing	Do not induce vomiting, rinse mouth with water. Drink a glass of water, do not give an active carbon. If unconscious, do not give anything to drink. Seek immediate medical attention.

### 5. FIREFIGHTING MEASURES

Extinguishing media	Firefighting equipment must be selected assessing the properties of around burning materials.
Special hazards arising from the substance/ mixture	It is necessary to know the properties of other chemicals or mixtures used or stored together.
Advice for firefighters	Wear respiratory protective equipment and chemical resistant/ protective clothing during the fire. Personal protective equipment must be chosen assessing the properties of burning around materials.

### 6. ACCIDENTAL RELEASE MEASURES


Personal precautions	Sufficient ventilation / respiratory protection/ contact with skin, eyes prevention.
Environmental precautions	Do not pour spilled material to the local drains, surface water or nature environment.
Methods (material) for containment and cleaning up	Absorb with liquid binding material (sand, diatomite, universal binders, sawdust). Neutralize residues and rinse with water. It is prohibited to discard the material in the trash basket or to pour back into the original container. Dispose gathered material according to the instructions.
Reference to other sections	View sections 8 and 13.

### 7. HANDLING AND STORAGE

Precautions for safe handling	Store in a tightly closed original container, in a dry ventilated area. Do not store together with acids, strong oxidizing agents. Keep container tightly closed in the temperature not lower than -10°C and not more than +35°C and away from heat sources.
Conditions for safe storage	For the professional use only. Use only in a well ventilated area, where exhaust ventilation is equipped strictly in accordance with the instructions. Use common rules/instructions when working

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

with chemicals. Do not mix with other chemicals. During the process do not eat, drink or smoke. Do not allow concentration of vapors in the air to exceed allowable threshold. Use appropriate personal protective equipment as indicated in Section 8.

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control parameters according to HN 23:2007 in Lithuania:

Name	CAS Nr.	Allowable concentration
sodium hydroxide; caustic soda	1310-73-2	NRD 2 mg/m <sup>3</sup> U
potassium hydroxide; caustic potash	1310-58-3	TLV 2 mg/m <sup>3</sup> U

Notes: NRD – not to be exceeded limit value, TLV – threshold limit value; U – acute effects.

Appropriate engineering controls

General, local exhaust ventilation. Avoid the spills, and any contact with this mixture, see Section 7.

Personal protective equipment:

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of the work. Avoid contact with eyes and skin.

Hand and skin protection

Protective gloves. The material of the gloves should be resistant to the substance/ mixture, alkalis. Penetration time of the material check out with manufacturer. Protective clothing, foot boots, it is recommended rubber apron. Periodically change working clothes.

Eye protection

Protective glasses, face covering shields.

Respiratory protection

In the case of insufficient ventilation, or in an emergency – the protection against aerosols must be used half masks with filtering against harmful liquid aerosols and valve filtering half masks against gases and particles.

Environmental impact control

See sections 6 and 12.


### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid
Color	Clear, dark brown
Odor	Specific
pH, 1 %, 20-25°C	> 12
The relative density, g/cm <sup>3</sup> , 20°C	1,37 – 1,40

### 10. STABILITY AND REACTIVITY

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

Chemical stability	Used according to specifications, under normal conditions - stable. When contacts with the air, reacts with carbon dioxide in the air and forms sodium carbonate.
Conditions to avoid/ incompatible materials	Exothermic reaction with acids and avoid contact with light metals, ammonium salts.
Hazardous decomposition products	Reaction products depend on the substances/mixtures involved in the chemical reactions.

### 11. TOXICOLOGICAL INFORMATION

Toxicological effects	On the basis of chemical information, it can be said that the mixture is not characterized by acute toxicity, when swallowed by test animals.
Primary irritant effect	<p>Skin: burns of various degrees, skin redness, blisters. Repeated or prolonged exposure may cause dermatitis. It is possible secret period. The damage depends on the exposure time and concentration of the solution.</p> <p>Eyes: pain, tearing, vision changes, can cause irreversible damage to the eyes.</p> <p>Inhalation: inhalation of aerosols can cause dyspnoea, chest pain, difficulty to breath, dizziness, headache.</p> <p>Ingestion: mouth, chest, abdominal pain, dysphagia, drooling, mouth ulceration, digestive tract burns.</p>
Additional toxicological information:	-


### 12. ECOLOGICAL INFORMATION

Toxicity	On the basis of chemical information, it can be said that the mixture is not characterized by hazard to environment. But risk to the environment may occur due to changes in pH: pH 11,0 - 11,5, rapid loss of species; pH 9,2 trout and perch death.
Persistence and degradability	The biodegradation process of mixture (surfactants) in the environment is in accordance with requirements of Detergents Regulation No 551/ 2009.
Bioaccumulative potential	Not determined/ no data.
Mobility in soil	Soluble in water, spread out. Before being released into waste water or sewage system must be diluted with water or neutralized.
Other adverse effects	Threat to aquatic and soil organisms can be caused by changes in local environment's pH.

### 13. DISPOSAL CONSIDERATIONS

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

Disposal of product Waste must be managed according to the Waste Management Act. Do not dispose in the trash, local and storm sewage system, surface water or environment. Codes of waste: 07 06; 20; 20 01 15\*; 20 01 29\*; 20 01 30.

Disposal of packaging Packaging waste must be handled according to Packaging and Packaging Waste Management Act. The product must be diluted with water or neutralized before released into sewage system. Washed and dried packaging can be reused.

### 14. TRANSPORT INFORMATION

Transport classification	Land transport ADR / RID (international/internal transportation).
UN number	1824
Name and description	MIXTURE OF SODIUM HYDROXIDE, SOLUTION
Class	8 corrosive substances
Classification group	C5
Packing group	II
Labels	8
Hazard identification number	80
Special precautions for user	Do not damage packaging.

### 15. REGULATORY INFORMATION

Information on legal regulations related to the substance / mixture:

1. Commission Regulation (EC) No. 286/2011; 1272/2008; 1907/2006.
2. Commission Regulation (EC) No. 551/2009.
3. HN 23:2007 "Occupational exposure limit values. Measuring the Impact Assessment and General Requirements".
4. European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).


### 16. OTHER INFORMATION

Explanations of Hazard symbols and numeric characters (described in Section 3):

Skin. Corr. 1A	Skin Corrosion, 1A subcategory.
Skin Irrit. 2	Skin irritant, category 2.
H315	Causes skin irritation.

## SAFETY DATA SHEET

According to Commission Regulation (EU) No. 453/ 2010 Annex I

	<b>ECOCLEAN 104 PLUS</b>	The date of compilation:	2014-05-07
		Revision:	2015-01-05
		Version No.	2

Xi Irritant.

R38 Irritating to skin.

This safety data sheet must be available to anyone who works with this type of chemical product. Data is in line with our current knowledge and it describes a chemical product, offers safety, occupational health, and environmental recommendations. This information will be added if new data about this chemical product will be ready. Material Safety Data Sheet does not disclose any specific chemical characteristics of the product.

This safety data sheet was reviewed assessing the requirements of REACH and GHS regulations. On December the 1, 2015 DSD mixture classification, labeling and packaging requirements will be replaced by CLP rule requirements. UAB "BS Chemical" refers to the CLP / GHS Regulations, and always keeps up to date Material Safety Data Sheets according to the chemical suppliers' Material Safety Data Sheets.